

1202034

EPA Region 9 Laboratory

Client: US EPA Region 3, Eastern Response Branch
Project: Dimock Residential Groundwater

Project Number: R33911

Report To:

US EPA Region 3, Eastern Response Branch
 Richard Fetzer
 100 Gypsum Road
 Stroudsburg, PA 18360
 Phone: (215) 341-6307
 Fax: XX

Project Contact

US EPA Region 3, Eastern Response Branch
 Richard Fetzer
 100 Gypsum Road
 Stroudsburg, PA 18360
 Phone : (215) 341-6307
 Fax: XX

| | | | | | <u>Labels</u> | | | |
|-------------------|--------------------|-------------|----------------|-------------------|---------------|---------------------|-----------------|-----------------|
| <u>Shipping</u> | | <u>Temp</u> | <u>Custody</u> | <u>Containers</u> | <u>COC</u> | <u>Preservation</u> | <u>Received</u> | |
| <u>Containers</u> | <u>Description</u> | <u>C</u> | <u>Seals?</u> | <u>Intact?</u> | <u>Agree?</u> | <u>Confirmed?</u> | <u>on Ice?</u> | <u>Comments</u> |
| 1Cooler | Cooler | 3 | Yes | Yes | Yes | No | Yes | 798045440421 |
| 2Cooler | Cooler | 3 | Yes | Yes | Yes | No | Yes | 793214705216 |
| 3Cooler | Cooler | 2 | Yes | Yes | Yes | No | Yes | 793217421577 |
| 4Cooler | Cooler | 5 | Yes | Yes | Yes | No | Yes | 793217112254 |
| 5Cooler | Cooler | 3 | Yes | Yes | Yes | No | Yes | 798048735923 |

Date Due: 03/04/12 15:00 (21 day TAT)

Received By: Jack Berges

Logged In By: Richard Bauer

SDG: 12044A

Date Received: 02/11/12 11:15

Date Logged In: 02/13/12 08:25

| <u>Analysis</u> | <u>Hold Time</u> | <u>Comments</u> |
|------------------------|-------------------------|------------------------|
| | <u>Expires</u> | |

1202034-01 HW49 [Water] Sampled 02/09/12 14:11 Pacific

TPH - Purgeable 02/23/12
 TPH - Extractable 02/16/12
 Dissolved HC Gases 02/23/12 5 day prelim results

1202034-02 HW49-P [Water] Sampled 02/09/12 14:26 Pacific

TPH - Purgeable 02/23/12
 TPH - Extractable 02/16/12
 Dissolved HC Gases 02/23/12 5 day prelim results

1202034-03 TB35 [Water] Sampled 02/09/12 10:00 Pacific

TPH - Purgeable 02/23/12
 Dissolved HC Gases 02/23/12 5 day prelim results

1202034-04 FB14 [Water] Sampled 02/09/12 13:36 Pacific

TPH - Purgeable 02/23/12
 TPH - Extractable 02/16/12
 Dissolved HC Gases 02/23/12 5 day prelim results

1202034

EPA Region 9 Laboratory

Client: US EPA Region 3, Eastern Response Branch
Project: Dimock Residential Groundwater

Project Number: R33911

| Analysis | Hold Time Expires | Comments |
|--|----------------------|----------------------|
| Analysis | Expires | Comments |
| 1202034-05 HW44 [Water] Sampled 02/09/12 14:49 Pacific | | |
| Dissolved HC Gases | 02/23/12 | 5 day prelim results |
| TPH - Purgeable | 02/23/12 | |
| TPH - Extractable | 02/16/12 | |
| 1202034-06 TB36 [Water] Sampled 02/09/12 10:10 Pacific | | |
| Dissolved HC Gases | 02/23/12 | 5 day prelim results |
| TPH - Purgeable | 02/23/12 | |
| 1202034-07 FB15 [Water] Sampled 02/10/12 11:21 Pacific | | |
| TPH - Extractable | 02/17/12 | |
| TPH - Purgeable | 02/24/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| 1202034-08 HW36n [Water] Sampled 02/10/12 10:53 Pacific | | |
| TPH - Extractable | 02/17/12 | |
| TPH - Purgeable | 02/24/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| 1202034-09 HW36n-P [Water] Sampled 02/10/12 11:02 Pacific | | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| TPH - Purgeable | 02/24/12 | |
| TPH - Extractable | 02/17/12 | |
| 1202034-10 TB37 [Water] Sampled 02/10/12 07:15 Pacific | | |
| TPH - Purgeable | 02/24/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| 1202034-11 HW16 [Water] Sampled 02/10/12 11:21 Pacific | | |
| TPH - Purgeable | 02/24/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| TPH - Extractable | 02/17/12 | |
| 1202034-12 HW16-P [Water] Sampled 02/10/12 11:37 Pacific | | |
| TPH - Purgeable | 02/24/12 | |
| TPH - Extractable | 02/17/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |

1202034

EPA Region 9 Laboratory

Client: US EPA Region 3, Eastern Response Branch
Project: Dimock Residential Groundwater

Project Number: R33911

| Analysis | Hold Time Expires | Comments |
|---|----------------------|--|
| 1202034-13 HW16z [Water] Sampled 02/10/12 11:22 Pacific | | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| TPH - Purgeable | 02/24/12 | |
| TPH - Extractable | 02/17/12 | |
| 1202034-14 TB38 [Water] Sampled 02/10/12 07:20 Pacific | | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| TPH - Purgeable | 02/24/12 | |
| 1202034-15 HW54 [Water] Sampled 02/10/12 14:08 Pacific | | Both RSK vials rcvd brokn, use one of TPH-G vials |
| TPH - Purgeable | 02/24/12 | |
| TPH - Extractable | 02/17/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| 1202034-16 HW54-P [Water] Sampled 02/10/12 14:30 Pacific | | |
| TPH - Purgeable | 02/24/12 | |
| TPH - Extractable | 02/17/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |
| 1202034-17 TB39 [Water] Sampled 02/10/12 10:00 Pacific | | |
| TPH - Purgeable | 02/24/12 | |
| Dissolved HC Gases | 02/24/12 | 5 day prelim results |